

# AMS REALTIME Projects

## System Requirements



---

Minimum Requirements (Microsoft Windows®)	
<b>Computer/Processor</b>	Computer with Pentium 133-megahertz (MHz) or higher processor
<b>Operating System</b>	Windows 98, Windows 98 Second Edition, Microsoft Windows NT® version 4.0 with Service Pack 6 (SP6) or later, Windows 2000 Professional, or Windows XP Professional
<b>Memory</b>	RAM requirements depend on the operating system used: <ul style="list-style-type: none"><li>• <b>Windows 98, or Windows 98 Second Edition</b> 24 MB of RAM plus an additional 32 MB of RAM for AMS REALTIME Projects</li><li>• <b>Windows NT 4.0 (SP6)</b> 32 MB of RAM plus an additional 32 MB of RAM for AMS REALTIME Projects</li><li>• <b>Windows 2000 Professional</b> 64 MB of RAM plus an additional 32 MB of RAM for AMS REALTIME Projects</li><li>• <b>Windows XP Professional</b> 128 MB of RAM plus an additional 32 MB of RAM for AMS REALTIME Projects</li></ul>
<b>Hard Disk</b>	Hard disk space requirements will vary depending on configuration; custom installation choices may require more or less. Listed below is the minimum hard disk requirement for AMS REALTIME Projects: <ul style="list-style-type: none"><li>• 30 MB of available hard disk space</li></ul>
<b>Drive</b>	CD-ROM drive
<b>Display</b>	Super VGA (800 × 600) or higher-resolution monitor with 256 colors
<b>Mouse</b>	Microsoft Mouse, Microsoft IntelliMouse®, or compatible pointing device

### Additional items or services required to use certain features (relevant to all platforms):

- Python ([www.python.org](http://www.python.org))
  - TCP/IP Networking
-

# AMS REALTIME Projects

## System Requirements



---

Minimum Requirements (Apple Macintosh)	
<b>Computer/Processor</b>	PowerPC® processor
<b>Operating System</b>	Mac OS software version 8.6(*), 9.0.4, 9.1
<b>Memory</b>	RAM requirements: <ul style="list-style-type: none"><li>• 64 MB of RAM plus an additional 32 MB of RAM for AMS REALTIME Projects</li></ul>
<b>Hard Disk</b>	Hard disk space requirements will vary depending on configuration; custom installation choices may require more or less. Listed below is the minimum hard disk requirement for AMS REALTIME Projects: <ul style="list-style-type: none"><li>• 30 MB of available hard disk space</li></ul>
<b>Drive</b>	CD-ROM drive
<b>Display</b>	800 × 600 or higher-resolution monitor with 256 colors
<b>Mouse</b>	Compatible pointing device

\*Advanced Management Solutions do not currently support the use of AMS REALTIME products in OS X or Classic mode of OS X.

Minimum Requirements (Linux)	
<b>Computer/Processor</b>	X86 compatible processor
<b>Operating System</b>	Red Hat Linux (*)
<b>Memory</b>	RAM requirements: <ul style="list-style-type: none"><li>• 64 MB of RAM plus an additional 32 MB of RAM for AMS REALTIME Projects</li></ul>
<b>Hard Disk</b>	Hard disk space requirements will vary depending on configuration; custom installation choices may require more or less. Listed below is the minimum hard disk requirement for AMS REALTIME Projects: <ul style="list-style-type: none"><li>• 30 MB of available hard disk space</li></ul>
<b>Drive</b>	CD-ROM drive
<b>Display</b>	800 × 600 or higher-resolution monitor with 256 colors
<b>Mouse</b>	Compatible pointing device

\*Redhat Linux 7.2 using kernel 2.4.9-13. Requires X-Windows/Motif

---

# AMS REALTIME Projects

## System Requirements



---

Minimum Requirements (Sun)	
<b>Computer/Processor</b>	Sparc and UltraSparc
<b>Operating System</b>	Solaris 2.2, 2.5, 2.5.1, 2.6, 7 and 8 (*)
<b>Memory</b>	RAM requirements: <ul style="list-style-type: none"><li>• 64 MB of RAM plus an additional 32 MB of RAM for AMS REALTIME Projects</li></ul>
<b>Hard Disk</b>	Hard disk space requirements will vary depending on configuration; custom installation choices may require more or less. Listed below is the minimum hard disk requirement for AMS REALTIME Projects: <ul style="list-style-type: none"><li>• 30 MB of available hard disk space</li></ul>
<b>Drive</b>	CD-ROM drive
<b>Display</b>	800 × 600 or higher-resolution monitor with 256 colors
<b>Mouse</b>	Compatible pointing device

\* Requires X-Windows/Motif

Minimum Requirements (HP-UX)	
<b>Computer/Processor</b>	HP9000 Series 700, 400 and 300. Optimized for HP Precision Architecture
<b>Operating System</b>	HP-UX 8 or later
<b>Memory</b>	RAM requirements: <ul style="list-style-type: none"><li>• 64 MB of RAM plus an additional 32 MB of RAM for AMS REALTIME Projects</li></ul>
<b>Hard Disk</b>	Hard disk space requirements will vary depending on configuration; custom installation choices may require more or less. Listed below is the minimum hard disk requirement for AMS REALTIME Projects: <ul style="list-style-type: none"><li>• 30 MB of available hard disk space</li></ul>
<b>Drive</b>	CD-ROM drive
<b>Display</b>	800 × 600 or higher-resolution monitor with 256 colors
<b>Mouse</b>	Compatible pointing device

\* Requires X-Windows/Motif

---

# AMS REALTIME Projects

## System Requirements



---

Minimum Requirements (IBM AIX)	
<b>Computer/Processor</b>	RS/6000
<b>Operating System</b>	AIX 3.2 or later
<b>Memory</b>	RAM requirements: <ul style="list-style-type: none"><li>• 64 MB of RAM plus an additional 32 MB of RAM for AMS REALTIME Projects</li></ul>
<b>Hard Disk</b>	Hard disk space requirements will vary depending on configuration; custom installation choices may require more or less. Listed below is the minimum hard disk requirement for AMS REALTIME Projects: <ul style="list-style-type: none"><li>• 30 MB of available hard disk space</li></ul>
<b>Drive</b>	CD-ROM drive
<b>Display</b>	800 × 600 or higher-resolution monitor with 256 colors
<b>Mouse</b>	Compatible pointing device

\* Requires X-Windows/Motif

---